

## Protecting Your Skin after Transplant

### Celebrating a Second Chance at Life Survivorship Symposium

April 29 – May 5, 2023



Rachel Rosenstein MD, PhD  
Hackensack Meridian Health  
John Theurer Cancer Center

## Learning Objectives

Following this presentation, attendees will have an understanding of:

1. Malignant and non-malignant skin problems that can develop after a hematopoietic cell transplant (HCT) in the short- and long-term
2. Who's at risk for developing non-malignant skin problems after transplant
3. Who's at risk for developing malignant skin problems after transplant
4. Recommended skin care and sun protection after HCT
5. Tests, and frequency of same, that HCT recipients should have for early detection of malignant and non-malignant skin problems

## Protecting Your Skin after Transplant

- Skin problems are common after transplantation
- Although many of these problems can develop in people with intact immune systems, they often occur more frequently in transplant patients
- Transplant patients benefit from regular skin exams

## Treatment of Dry Skin

- Moisturizer use twice daily
  - Ointments: more occlusive, cause less burning and stinging
    - Greasiness may not be acceptable
  - Creams: Faster absorption, less occlusive, thick
  - Lotions: Higher water content, thinner
  - Can apply under occlusion
- Avoid allergy-provoking ingredients
  - Perfumes, lanolin, herbal extracts
  - “unscented” vs “fragrance free” or “free and clear”



## Basic Skin Care

- Mild cleansers
  - Focusing on soiled and sweat gland-containing areas
- Avoid bubble baths and scented salts or oils
- Lukewarm bath/shower (not hot)
- No more than once daily, 10-15 minutes
- Pat dry, do not rub roughly
- Application of a moisturizer within 3 minutes of exiting bath
- If treatment with a topical steroid is needed, apply immediately after bath (then moisturizer)
- Try not to scratch (can worsen itching)

## Rashes after Transplant

## Infections: bacterial

- Source may be blood or skin
- Diagnosis:
  - Clinical
  - Culture
  - Biopsy
- Treatment:
  - Topical
  - Oral
  - IV antibiotics



Bolognia, JL. Dermatology text  
2023 SURVIVORSHIP SYMPOSIUM

BMT 30 YEARS EMPOWERING PATIENTS  
infonyet.org

## Infections: viral

- Herpesvirus family
  - Herpes simplex
  - Varicella zoster
- Transmission: often reactivation, skin-to-skin
- Diagnosis: scraping
- Treatment:
  - antiviral (oral or IV)




Rosenstein, RK, Baliga, R. 2016.  
Bolognia, JL. Dermatology text  
2023 SURVIVORSHIP SYMPOSIUM

BMT 30 YEARS EMPOWERING PATIENTS  
infonyet.org

## Infections: viral-induced benign skin lesions

- Molluscum contagiosum
  - Transmission: Skin-to skin contact
  - Treatment: cryotherapy, curettage, application of topicals
- Verruca vulgaris – warts
  - HPV infection
  - Transmission: Reactivation
  - Treatment: decrease in immunosuppression, cryotherapy, paring, topicals



## Infections: Fungal

- Dermatophytes, *Malassezia*, *Candida*
- Other opportunistic infections
- Diagnosis: Scraping, culture, biopsy
- Treatment:
  - Topical anti-fungal cream or shampoo
  - Systemic antifungals
  - Surgery
  - Debridement



## Drug Rashes

- Morbilliform drug rashes
  - Days-weeks after starting
  - Can look similar to viral or GVHD rashes
- Severe drug rashes: Stevens Johnson Syndrome/Toxic Epidermal Necrolysis
- Keep a drug diary




Rosenstein, RK, Baliga, R. 2016.  
Bolognia, JL. Dermatology text

2023 SURVIVORSHIP SYMPOSIUM

## Non-Scarring Hair loss

- Non-scarring hair loss
- Chemotherapy and radiation, stressors
  - 2-4 weeks after starting
  - Usually reversible
  - Minimize trauma
  - Protect from sun
- Pattern hair loss




Bolognia, JL. Dermatology text  
Huang, JT, et al. JAAD. 2018.

2023 SURVIVORSHIP SYMPOSIUM

## Scarring Hair loss

- Scarring hair loss
  - GVHD, infection
  - Treat early to prevent further scarring



## Skin Lesions after Transplant

## Actinic (Solar) Keratoses

- Potentially pre-cancerous
- Atypical keratinocytes, most often induced by sun damage
- Have the capability to develop into invasive squamous cell carcinomas
- Appear as rough, scaly spots, often pink
- Often on the face, neck, tops of hands, forearms, scalp
  - Can involve the lips (actinic cheilitis)



Rosenstein, RK, Baliga, R. 2016.

2023 SURVIVORSHIP SYMPOSIUM

**BMT** 30 YEARS  
empowering patients  
infonyet.org

## Treatment of Actinic (Solar) Keratoses

- Individual treatment of lesions
- When there are too many to treat individually:
- “Field therapy”
  - Topical chemotherapy (5 Fluorouracil cream)
  - Chemical peels
  - Photodynamic therapy
- Control the skin damage but repeat treatments are often necessary



Bolognia, JL. Dermatology text

2023 SURVIVORSHIP SYMPOSIUM

**BMT** 30 YEARS  
empowering patients  
infonyet.org

## Malignant Skin Problems

- Allogeneic HCT recipients are at an increased risk for skin cancer
  - 2.6% HCT recipients
- Non-melanoma skin cancers:
  - **Squamous cell carcinoma (15.4%), basal cell carcinoma (69.2%),** Kaposi's sarcoma, Merkel cell carcinoma
- Melanoma (15.4%)

## Basal Cell Carcinoma

- Most common skin cancer
- Usually localized (rarely metastasizes)
- Can be more aggressive depending on their specific features or the patient's immunosuppression



## Basal Cell Carcinoma: What it Looks Like

- Pink, pearly bumps
- Red, scaly bumps
- Lesion that bleeds easily
- Scar-like



## Basal Cell Carcinoma: How it Can Evolve

- Typically, slow growing
- Can become large
- May ulcerate (open up)
- Can become locally destructive



## Basal Cell Carcinoma: Treatment

- Diagnosis: skin biopsy
- Treatment:
  - Depends on pathologic features of the basal cell, location, size
  - Destructive methods
    - Electrodesiccation and curettage
    - Cryotherapy
    - 5-fluoruracil
    - Radiation
  - Surgery
    - Excision
    - Mohs micrographic surgery



Bolognia, JL. Dermatology text

2023 SURVIVORSHIP SYMPOSIUM

## Squamous Cell Carcinoma

- Scaly, pink bump
- May cause pain, ulcerate, bleed crust
- Dome-shaped crater-like bumps
- Greater potential to recur, invade, or metastasize



## Squamous Cell Carcinoma



## Squamous Cell Carcinoma Treatment

- Diagnosis: skin biopsy
- Treatment:
  - Depends on pathologic features, location, size
  - Destructive methods
    - Electrodesiccation and curettage
    - Cryotherapy
    - 5-fluoruracil
    - Radiation
  - Surgery
    - Excision
    - Mohs micrographic surgery
- May require imaging or lymph node biopsy




## Melanoma

- **A**symmetry
- **B**order
- **C**olor
- **D**iameter
- **E**volution



## Melanoma

- Dark brown-black
- Can be pink



## Melanoma Treatment

- Diagnosis: skin biopsy or excisional biopsy
- Treatment:
  - Excision
  - May require imaging or lymph node biopsy
  - May require additional systemic therapy



Bologna, JL. Dermatology text  
2023 SURVIVORSHIP SYMPOSIUM

## Risk Factors for Basal Cell Carcinoma

- Sun exposure
- Primary diagnosis of leukemia, lymphoma, malignant marrow disease
- Light skin color
- Younger age at transplantation
- Receipt of Total Body Irradiation
- Chronic GVHD



DePry, JL. JAMA Derm. 2015.  
Omland, SH. JAMA Derm. 2016.

## Risk Factors for Squamous Cell Carcinoma

- Primary diagnosis of leukemia or severe aplastic anemia
- Younger age at transplantation
- Chronic GVHD
- Immunosuppression for greater than 24 months
  - Use of azathioprine




DePry, JL. JAMA Derm. 2015.  
Omland, SH. JAMA Derm. 2016.

2023 SURVIVORSHIP SYMPOSIUM

## Risk Factors for Melanoma

- Personal or family history of melanoma
- Many moles
- T cell-depleted transplant
- Female sex
- Receipt of Total Body Irradiation



DePry, JL. JAMA Derm. 2015.  
Omland, SH. JAMA Derm. 2016.

2023 SURVIVORSHIP SYMPOSIUM

## Other Risk Factors for Skin Cancer

- Studies in solid organ transplant recipients (prolonged immunosuppression), suggest timing of skin cancer screening based on:
  - History of previous skin cancer or pre-cancerous lesions
  - Spend more than an hour outside daily
  - Greater than 50 years old
  - Lived in hot climate for >30 years
  - Experienced sunburns
  - Decreased pigment in their skin

## Skin Cancer Screenings

- Self-exams
  - ABCDEs of melanoma
  - New, growing, open sore
  - Spots that itch, hurt, crust, scab, bleed
  - Bright light, full-length mirror, hand mirror, blow-dryer
  - Ask for help
- Skin exams with local dermatologist
  - Every 6-12 months
  - Prepare for exam:
    - Identify lesions of concern
    - Remove nail polish and makeup
    - Wear hair loose



## Sun Protection


- Ultraviolet radiation is a cause of skin cancer
- Some post-transplant medications may sensitize to sun
- Can trigger or worsen GVHD
- Sun protection offers:
  - Skin cancer prevention
    - At least 1 in 5 people will be diagnosed with skin cancer
  - Benign skin lesion and rash prevention
  - Prevent aging of skin



## Sunscreen Properties

- Sunscreens limit UV wavelengths which would interact with molecules in the skin
- Sunscreens are considered over the counter drugs and regulated by FDA
- Sun Protection Factor (SPF): SPF x time in sun with the same level of redness
- “Broad Spectrum” if UVA and UVB protection
- “Water Resistant”


## Sunscreen Properties



## Sunscreen Mechanisms

Sunscreen forms a coating on the surface of the skin that filters out radiation

- “chemical”: light absorption
- “physical”: mineral or inorganic, scatter light energy
  - Titanium dioxide
  - Zinc oxide
- Iron oxide: protects against UV and visible light
  - Can prevent redness and darkening of skin



## Why Doesn't Sunscreen Always Work?

- People don't often apply sunscreen at the same thickness as in studies
  - Most users apply 20-50%
  - To cover the skin of an adult: 2-3 tablespoons (1-1.5oz)
- Strategies to improve outcomes:
  - Apply twice
  - Use a product with higher SPF



Marko Metzinger Photography  
[www.markometzinger.com](http://www.markometzinger.com)

## Sun Protection Guidelines

- Avoid direct sun exposure between 10AM and 4PM
- Seek shade to shelter from direct sun
- Wear protective clothing, hat (wide-brim), sunglasses
- Apply sunscreen to all exposed skin when outdoors
- Use BROAD SPECTRUM sunscreen, SPF 30 or greater
- Use up to 1-2 ounces of sunscreen to cover exposed skin



skincancer.org

## Sunscreen Guidelines

- Apply sunscreen 15 minutes before sun exposure
- Use water resistant sunscreen if swimming/perspiring
- Reapply sunscreen every 2 hours or after swimming/perspiring
- Spray sunscreens must be applied liberally



skincancer.org

2023 SURVIVORSHIP SYMPOSIUM

## Sunscreen Controversies

- Utilized for decades
- Great safety record
- Concerns from animal and lab studies
- Overall risk-benefit analysis favors sunscreens
- Major side effects:
  - Irritation
  - allergic reactions

## Sunscreen Controversies

- But don't we need sun to generate Vitamin D?
  - Vitamin D levels in sunscreen users are lower than non-users, but within the normal range
  - Vitamin D from food: fish oils, fortified milk and milk products
  - Vitamin D supplementation



**BMT** 30 YEARS EMPOWERING PATIENTS  
infonyet.org

2023 SURVIVORSHIP SYMPOSIUM

## Indoor Tanning

- 400,000 skin cancers each year
- 75% increased risk of melanoma from one indoor tanning session before 35
- Any use of tanning devices associated with 2.5x for SCC and 1.5x for BCC
- Women with BCCs had on average twice as many visits to tanning beds
- Women younger than 30 are 6x more likely to get melanoma if indoor tanning beds



[roswellpark.org/cancertalk/202105/truth-about-tanning-beds-4-lies-tanning-salons-tell-you](https://roswellpark.org/cancertalk/202105/truth-about-tanning-beds-4-lies-tanning-salons-tell-you)

2023 SURVIVORSHIP SYMPOSIUM

**BMT** 30 YEARS EMPOWERING PATIENTS  
infonyet.org

## Summary

1. Transplant patients are at risk for malignant and non-malignant skin problems
2. There are good dry skin care techniques that can help alleviate itch/rash
3. Sun protection is important
4. Skin cancer screening should be done regularly
5. A variety of rashes can merit dermatologist evaluation

Thank you



## QUESTIONS?



**Rachel Rosenstein MD, PhD**  
Hackensack Meridian Health  
John Theurer Cancer Center



2023 SURVIVORSHIP SYMPOSIUM

## LET US KNOW HOW WE CAN HELP YOU



Visit our website: [bmtinfonet.org](http://bmtinfonet.org)

Email us: [help@bmtinfonet.org](mailto:help@bmtinfonet.org)

Phone: 888-597-7674 or 847-433-3313

**Find us on:**

Facebook, [facebook.com/bmtinfonet](https://facebook.com/bmtinfonet)

Twitter, [twitter.com/BMTInfoNet](https://twitter.com/BMTInfoNet)



2023 SURVIVORSHIP SYMPOSIUM